





DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
( ALL COMPONENT'S SEPARATELY ) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )








## FABRIC DETAILS







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )







## FABRIC DETAILS









TOP:- CAMBRIC COTTON DUP:- COSSMOS DIGITAL PRINT BOT:- CAMBRIC COTTON







5-223 A

5-223 B

5-223 C







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )







## FABRIC DETAILS







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
( ALL COMPONENT'S SEPARATELY ) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )







## FABRIC DETAILS

