



SHANAYA®

#### WASHING INSRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS  
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER  
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES  
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I  
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )



ROSE  
Premium Edition

S-159 D







#### WASHING INSRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS  
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER  
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES  
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I  
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )



**ROSE**  
Premium Edition

**S-159 C**







SHANAYA®

#### WASHING INSRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS  
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER  
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES  
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I  
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED )



ROSE  
Premium Edition

S-159 D







### WASHING INSTRUCTIONS


DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS  
 BEFORE CUTTING / STITCHING, FABRIC SHOULD BE SOAKED IN WATER  
 ( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES  
 DO NOT KEEP WET FABRIC IN TWISTED FORM IN ORDER TO AVOID COPY MARKS |  
 IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
 ( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INCLUDED )



**ROSE** **S-159 B**  
 Premium Edition











S-159 A



FRANT SIDE



BACK SIDE









S-159 B



FRANT SIDE



BACK SIDE



# ROSE Premium Edition S-159



S-159 A



S-159 B



S-159 C



S-159 D





**SHANAYA**

#### WASHING INSTRUCTIONS

DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS  
BEFORE CUTTING / STITCHING, FABRIC SHOULD BE SOAKED IN WATER  
( ALL COMPONENTS SEPARATELY ) FOR 15 MINUTES  
DO NOT KEEP WET FABRIC IN TWISTED FORM IN ORDER TO AVOID COPY MARKS |  
IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
( EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INCLUDED )



**ROSE**  
Premium Edition

**S-159 A**

